according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Product name	:	OKS 404
Material number	:	1103350000
1.2 Relevant identified uses of t	he s	substance or mixture and uses advised against
Use of the Sub- stance/Mixture	:	Lubricant
Recommended restrictions on use	:	For professional users only.
1.3 Details of the supplier of the	e saf	ety data sheet
Company	:	OKS Spezialschmierstoffe GmbH Ganghoferstr. 47 D-82216 Maisach-Gernlinden Tel.: +49 8142 3051 500 Fax.: +49 8142 3051 599 info@oks-germany.com
E-mail address of person responsible for the SDS	:	mcm@oks-germany.com Material Compliance Management
National contact	:	

1.4 Emergency telephone number

Emergency telephone num- : +49 8142 3051 517 ber

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Additional Labelling

EUH210	Safety data sheet available on request.
EUH208	Contains Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts. May pro-
	duce an allergic reaction.



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature

: Mineral oil. Synthetic hydrocarbon oil Thickening agent Additive

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration limits M-Factor Notes	Concentration (% w/w)
Poly(1,2-dihydro- 2,2,4- trimethylquinoline)	26780-96-1 500-051-3	Aquatic Chronic3; H412		>= 2.5 - < 10
zinc bis[0,0-bis(2- ethylhexyl)] bis(dithiophosphate)	4259-15-8 224-235-5 01-2119493635-27- XXXX	Eye Dam.1; H318 Aquatic Chronic2; H411	> 50 % Eye Dam.1, H318	>= 1 - < 2.5
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	939-603-7 01-2119978241-36- XXXX	Skin Sens.1B; H317	> 10 - 100 % Skin Sens.1B, H317	>= 0.1 - < 1

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version 4.0	Revision Date: 12.11.2020	Date of last issue: 02.08.2017Print DateDate of first issue: 28.05.201413.11.2024	
lf inha	aled	 Remove person to fresh air. If signs/symptoms contir medical attention. Keep patient warm and at rest. If breathing is irregular or stopped, administer artificiation. 	
In cas	se of skin contact	: Remove contaminated clothing. If irritation develops, ical attention. Wash off with soap and water.	get med-
In cas	se of eye contact	 Rinse immediately with plenty of water, also under th for at least 10 minutes. If eye irritation persists, consult a specialist. 	e eyelids,
lf swa	allowed	: Move the victim to fresh air. Do not induce vomiting without medical advice.	
4.2 Most i	mportant symptom	and effects, both acute and delayed	
Symp	otoms	: No information available.	
Risks	i	: None known.	

Treatment

: No information available.

SECTION 5: Firefighting measures

5.1	Extinguishing media		
	Suitable extinguishing media	:	Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
	Unsuitable extinguishing media	:	High volume water jet
5.2	Special hazards arising from	the	substance or mixture
	Hazardous combustion prod- ucts	:	Carbon oxides Nitrogen oxides (NOx) Sulphur oxides Oxides of phosphorus Metal oxides
5.3	Advice for firefighters		
	Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Exposure to decomposi- tion products may be a hazard to health.
	Further information	:	Standard procedure for chemical fires.



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures				
Personal precautions	:	Evacuate personnel to safe areas. Use the indicated respiratory protection if the occupational exposure limit is exceeded and/or in case of product release (dust). Avoid breathing dust. Refer to protective measures listed in sections 7 and 8.		

6.2 Environmental precautions

Environmental precautions	 Try to prevent the material from entering drains or water courses. Local authorities should be advised if significant spillages cannot be contained.
---------------------------	---

6.3 Methods and material for containment and cleaning up

Methods for cleaning up	:	Clean up promptly by sweeping or vacuum. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: Handling and storage

7.1 Precautions for safe handling	
Advice on safe handling :	For personal protection see section 8. Smoking, eating and drinking should be prohibited in the ap- plication area. Wash hands and face before breaks and immediately after handling the product.
Hygiene measures :	Wash face, hands and any exposed skin thoroughly after handling.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	:	Store in original container. Keep container closed when not in use. Keep in a dry, cool and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in accordance with the particular national regulations. Keep in properly labelled containers.
		national regulations. Keep in properly labelled containers.

7.3 Specific end use(s)



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version 4.0	Revision Date: 12.11.2020	Date of last issue: 02.08.2017 Date of first issue: 28.05.2014	Print Date: 13.11.2020	
Specific use(s)		: Specific instructions for handling,	not required.	

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health ef- fects	Value
zinc bis[0,0-bis(2- ethylhexyl)] bis(dithiophosphate)	Workers	Inhalation	Long-term systemic effects	6.6 mg/m3
	Workers	Skin contact	Long-term systemic effects	9.6 mg/m3
Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts	Workers	Inhalation	Long-term systemic effects	35.26 mg/m3
	Workers	Dermal	Long-term systemic effects	25 mg/kg

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
zinc bis[O,O-bis(2-ethylhexyl)]	Fresh water	0.004 mg/l
bis(dithiophosphate)		
	Marine water	0.0046 mg/l
	Sewage treatment plant	3.8 mg/l
	Fresh water sediment	0.322 mg/l
	Marine sediment	0.032 mg/l
	Soil	0.062 mg/l
Benzenesulfonic acid, di-C10-14- alkyl derivs., calcium salts	Fresh water	0.1 mg/l
	Marine water	0.1 mg/l
	Fresh water sediment	45211 mg/kg
	Marine sediment	45211 mg/kg
	Microbiological Activity in Sewage Treat-	1000 mg/l
	ment Systems	
	Soil	36739 mg/kg

8.2 Exposure controls

Engineering measures

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems involved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Personal protective equipment

Eye protection : Tightly fitting safety goggles

Hand protection



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version 4.0	Revision Date: 12.11.2020		e of last issue: 02.08.2017 e of first issue: 28.05.2014	Print Date: 13.11.2020
B	Material Break through time Protective index	:	Nitrile rubber > 10 min Class 1	
R	Remarks	:	For prolonged or repeated contact use probreak through time depends amongst oth material, the thickness and the type of glo has to be measured for each case. The selected protective gloves have to satisfy the selected protective gloves have to satisfy and the derived from it.	ner things on the ove and therefore atisfy the specifica-
Res	piratory protection	:	Not required; except in case of aerosol for	ormation.
Filte	r type	:	Filter type P	
Prot	ective measures	:	The type of protective equipment must be to the concentration and amount of the da at the specific workplace. Choose body protection in relation to its t tration and amount of dangerous substan- cific work-place.	angerous substance

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	:	solid
Colour	:	brown
Odour	:	characteristic
Odour Threshold	:	No data available
рН	:	Not applicable
Melting point/range	:	> 260 °C (1,013 hPa)
Boiling point/boiling range	:	No data available
Flash point	:	Not applicable
Evaporation rate	:	No data available
Flammability (solid, gas)	:	Combustible Solids



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version Revision Date: 4.0 12.11.2020	Date of last issue: 02.08.2017 Date of first issue: 28.05.2014	Print Date: 13.11.2020
Upper explosion limit / L flammability limit	Jpper : No data available	
Lower explosion limit / L flammability limit	ower : No data available	
Vapour pressure	: < 0.001 hPa (20 °C)	
Relative vapour density	: No data available	
Relative density	: 0.93 (20 °C) Reference substance: Water The value is calculated	
Density	: 0.93 g/cm3 (20 °C)	
Bulk density	: No data available	
Solubility(ies) Water solubility	: immiscible	
Solubility in other sol	vents : No data available	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperatur	re : No data available	
Decomposition tempera	ture : No data available	
Viscosity Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	
Explosive properties	: Not explosive	
Oxidizing properties	: No data available	
9.2 Other information Sublimation point	: No data available	
Self-ignition	: No data available	

SECTION 10: Stability and reactivity

10.1 Reactivity

No hazards to be specially mentioned.



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions				
Hazardous reactions	:	No dangerous reaction known under conditions of normal use.		
10.4 Conditions to avoid				
Conditions to avoid	:	No conditions to be specially mentioned.		
10.5 Incompatible materials				
Materials to avoid	:	No materials to be especially mentioned.		

10.6 Hazardous decomposition products

No decomposition if stored and applied as directed.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute	toxicity
Acuic	lovicity

Product:

Acute inhalation toxicity	:	Remarks: This information is not available.
Acute dermal toxicity	:	Remarks: This information is not available.

Components:

zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Acute oral toxicity	:	LD50 (Rat, male): 3,100 mg/kg Method: OECD Test Guideline 401 GLP: no
Acute dermal toxicity	:	LD50 (Rabbit, male): > 5,000 mg/kg Method: OECD Test Guideline 402 GLP: no

Benzenesulfonic acid, di-C10-14-alkyl derivs., calcium salts:

Acute oral toxicity	:	LD50 (Rat): > 5,000 mg/kg
Acute inhalation toxicity	:	LC50 (Rat): > 5 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	:	LD50 (Rabbit): > 5,000 mg/kg



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

ion	Revision Date: 12.11.2020	Date of last issue: 02.08.2017 Date of first issue: 28.05.2014	Print Date: 13.11.2020
Skin	corrosion/irritation		
Prod		This information is not evaluated	
Rema	arks	: This information is not available.	
<u>Com</u>	oonents:		
zinc l	bis[O,O-bis(2-ethyll	hexyl)] bis(dithiophosphate):	
Speci	es	: Rabbit	
	ssment	: No skin irritation	
Metho		: OECD Test Guideline 404	
Resul GLP	IT	: No skin irritation : yes	
Bonz	enesulfonic acid d	i-C10-14-alkyl derivs., calcium salts:	
	ssment	: No skin irritation	
Resul		: No skin irritation	
Serio	us eye damage/eye	eirritation	
Prod	uct:		
Asses	ssment	: No eye irritation	
Resu	lt	: No eye irritation	
<u>Com</u>	oonents:		
		hexyl)] bis(dithiophosphate):	
	bis[O,O-bis(2-ethyll	h exyl)] bis(dithiophosphate): : Rabbit	
zinc I Speci Asses	bis[O,O-bis(2-ethyll les ssment	: Rabbit : Risk of serious damage to eyes.	
zinc I Speci Asses Metho	bis[O,O-bis(2-ethyll les ssment od	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 	
zinc I Speci Asses Metho Resul	bis[O,O-bis(2-ethyll les ssment od	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. 	
zinc I Speci Asses Metho	bis[O,O-bis(2-ethyll les ssment od	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 	
zinc I Speci Asses Metho Resul GLP Benz	bis[O,O-bis(2-ethyll es ssment od It enesulfonic acid, d	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes 	
zinc I Speci Asses Metho Resul GLP Benz Asses	bis[O,O-bis(2-ethyll es ssment od It enesulfonic acid, d ssment	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation 	
zinc I Speci Asses Metho Resul GLP Benz	bis[O,O-bis(2-ethyll es ssment od It enesulfonic acid, d ssment	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes 	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul	bis[O,O-bis(2-ethyll es ssment od It enesulfonic acid, d ssment	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation 	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul	bis[O,O-bis(2-ethyll es ssment od It enesulfonic acid, d ssment It iratory or skin sens	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation 	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul	bis[O,O-bis(2-ethyll es ssment od lt enesulfonic acid, d ssment lt iratory or skin sens	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation 	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul Resul Resp Resul	bis[O,O-bis(2-ethyll es ssment od lt enesulfonic acid, d ssment lt iratory or skin sens	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation sitisation	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul Resul Resp Resul Resp	bis[O,O-bis(2-ethyll es ssment od tt enesulfonic acid, d ssment tt iratory or skin sens uct: arks	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation sitisation	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul Resul Resul Resul Resul Resul Zinc I	bis[O,O-bis(2-ethyll es ssment od it enesulfonic acid, d ssment it iratory or skin sens uct: arks ponents: bis[O,O-bis(2-ethyll	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation Sitisation i This information is not available. hexyl)] bis(dithiophosphate): Maximisation Test 	
zinc I Speci Asses Metho Resul GLP Benz Asses Resul Resul Resul Resul Resul Test Zinc I	bis[O,O-bis(2-ethyll es ssment od it enesulfonic acid, d ssment it iratory or skin sens uct: arks ponents: bis[O,O-bis(2-ethyll	 Rabbit Risk of serious damage to eyes. OECD Test Guideline 405 Risk of serious damage to eyes. yes i-C10-14-alkyl derivs., calcium salts: No eye irritation No eye irritation Sitisation This information is not available. 	



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

/ersion	Revision Date:		e of last issue: 02.08.2017	Print Date:
1.0	12.11.2020	Dat	e of first issue: 28.05.2014	13.11.2020
Metho Resul GLP		:	OECD Test Guideline 406 Did not cause sensitisation on lab yes	poratory animals.
Benze	enesulfonic acid, di-	C10-1	4-alkyl derivs., calcium salts:	
Speci	es	:	Guinea pig	
Asses Resul	ssment It	:	The product is a skin sensitiser, s The product is a skin sensitiser, s	
Germ	cell mutagenicity			
Produ	uct:			
Geno	toxicity in vitro	:	Remarks: No data available	
Genot	toxicity in vivo	:	Remarks: No data available	
Carci	nogenicity			
Produ	uct:			
Rema	arks	:	No data available	
Repro	oductive toxicity			
<u>Produ</u>	uct:			
Effect	s on fertility	:	Remarks: No data available	
Effect ment	s on foetal develop-	:	Remarks: No data available	
Repe	ated dose toxicity			
<u>Produ</u>	uct:			
Rema	arks	:	This information is not available.	
Aspir	ation toxicity			
<u>Produ</u>	uct:			
This i	nformation is not avail	able.		
<u>Comp</u>	oonents:			
	bis[O,O-bis(2-ethylhe piration toxicity classi		bis(dithiophosphate): n	
Furth	er information			
Produ	uct:			



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date: 12.11.2020	Date of last issue: 02.08.2017	Print Date:
4.0		Date of first issue: 28.05.2014	13.11.2020
Rem	arks	: Information given is based on data the toxicology of similar products.	on the components and

SECTION 12: Ecological information

12.1 Toxicity

Product:		
Toxicity to fish	:	Remarks: No data available
Toxicity to daphnia and other aquatic invertebrates	:	Remarks: No data available
Toxicity to algae/aquatic plants	:	Remarks: No data available
Toxicity to microorganisms	:	Remarks: No data available

Components:

Poly(1,2-dihydro-2,2,4-trimethylquinoline):

Ecotoxicology Assessment		
Acute aquatic toxicity	:	Harmful to aquatic life.
Chronic aquatic toxicity	:	Harmful to aquatic life with long lasting effects.
zinc bis[O,O-bis(2-ethylhexy	/l)]	bis(dithiophosphate):
Toxicity to fish	:	LC50 (Oncorhynchus mykiss (rainbow trout)): 4.4 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203 GLP: yes
Toxicity to daphnia and other aquatic invertebrates	:	EC50 (Daphnia magna (Water flea)): 75 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 GLP: yes
Toxicity to algae/aquatic plants	:	ErC50 (Desmodesmus subspicatus (green algae)): 240 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes
Toxicity to microorganisms	:	EC50 (Pseudomonas putida): 380 mg/l Exposure time: 16 h



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

UN3 4	+04			
Version 4.0	Revision Date: 12.11.2020		e of last issue: 02.08.2017 e of first issue: 28.05.2014	Print Date: 13.11.2020
			Test Type: static test GLP: yes	
aqu	icity to daphnia and other atic invertebrates (Chron- oxicity)		NOEC: > 0.8 mg/l Exposure time: 21 d Species: Daphnia magna (Water Method: OECD Test Guideline 2 GLP: yes Remarks: Information given is ba similar substances.	211
Bor	zonosulfonio acid. di-C	10_1	4-alkyl derivs., calcium salts:	
	icity to fish	:	EC50 (Oncorhynchus mykiss (ra Exposure time: 96 h Method: OECD Test Guideline 2	
	icity to daphnia and other atic invertebrates	:	EC50 (Daphnia magna (Water fl Exposure time: 48 h Method: OECD Test Guideline 2	
Tox plar	icity to algae/aquatic hts	:	EC50 (Pseudokirchneriella subc mg/l Exposure time: 72 h	apitata (green algae)): > 100
12.2 Per	sistence and degradabi	lity		
Pro	duct:			
Bio	degradability	:	Remarks: No data available	
Phy ity	sico-chemical removabil-	:	Remarks: No data available	
<u>Cor</u>	nponents:			
zine	bis[O,O-bis(2-ethylhex	yl)]	bis(dithiophosphate):	
Bio	degradability	:	Result: Not rapidly biodegradable Biodegradation: < 5 % Exposure time: 27 d Method: OECD Test Guideline 3 GLP: no	
Ber	zenesulfonic acid, di-C	10-1	4-alkyl derivs., calcium salts:	
	degradability	:	Test Type: aerobic Inoculum: activated sludge Result: Not rapidly biodegradabl Biodegradation: 8 % Exposure time: 28 d Method: OECD Test Guideline 3	



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

12.3 Bioaccumulative potential

Product:

Bioaccumulation	: Remarks: This mixture contains no substance considered to
	be persistent, bioaccumulating and toxic (PBT).
	This mixture contains no substance considered to be very
	persistent and very bioaccumulating (vPvB).

Components:

zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Partition coefficient: n-	:	log Pow: 3.59 (22 °C)
octanol/water		pH: 5
		Method: OECD Test Guideline 107
		GLP: yes

12.4 Mobility in soil

Product:

Mobility	:	Remarks: No data available
Distribution among environ- mental compartments	:	Remarks: No data available

12.5 Results of PBT and vPvB assessment

|--|

Assessment	:	This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or
		very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher

Components:

zinc bis[0,0-bis(2-ethylhexyl)] bis(dithiophosphate):

Assessment	: Non-classified	
	stance	

Non-classified PBT substance. Non-classified vPvB substance.

12.6 Other adverse effects

Product:

Additional ecological infor-	:	No information on ecology is available.
mation		

SECTION 13: Disposal considerations

13.1 Waste treatment methods



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version 4.0	Revision Date: 12.11.2020	Date of last issue: 02.08.2017Print Date:Date of first issue: 28.05.201413.11.2020	
Product		: Waste codes should be assigned by the user based on the application for which the product was used.	е
		The product should not be allowed to enter drains, water courses or the soil.	
Contaminated packaging		 Packaging that is not properly emptied must be disposed the unused product. Dispose of waste product or used containers according to local regulations. 	
		The following Waste Codes are only suggestions:	
Wast	e Code	: used product, unused product 12 01 12*, spent waxes and fats	
		uncleaned packagings 15 01 10, packaging containing residues of or contaminate by hazardous substances	ed

SECTION 14: Transport information

14.1 UN number

ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.2 UN proper shipping name		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good
14.3 Transport hazard class(es)		
ADN	:	Not regulated as a dangerous good
ADR	:	Not regulated as a dangerous good
RID	:	Not regulated as a dangerous good
IMDG	:	Not regulated as a dangerous good
ΙΑΤΑ	:	Not regulated as a dangerous good



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

UN 5 4	04		
Version 4.0	Revision Date: 12.11.2020		t Date: 1.2020
14.4 Pack	king group		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
14.5 Envi	ronmental hazards		
ADN		: Not regulated as a dangerous good	
ADR		: Not regulated as a dangerous good	
RID		: Not regulated as a dangerous good	
IMDO	G	: Not regulated as a dangerous good	
ΙΑΤΑ	(Passenger)	: Not regulated as a dangerous good	
ΙΑΤΑ	(Cargo)	: Not regulated as a dangerous good	
-	cial precautions for ι applicable	ser	
14.7 Tran	sport in bulk accord	ing to Annex II of Marpol and the IBC Code	

Remarks

: Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59).	:	This product does not contain sub- stances of very high concern (Regu- lation (EC) No 1907/2006 (REACH), Article 57).
REACH - List of substances subject to authorisation (Annex XIV)	:	Not applicable
Regulation (EC) No 1005/2009 on substances that deplete the ozone layer	:	Not applicable
Regulation (EU) 2019/1021 on persistent organic pollu- tants (recast)	:	Not applicable
Regulation (EC) No 649/2012 of the European Parlia- ment and the Council concerning the export and import of dangerous chemicals	:	Not applicable
REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances,	:	Not applicable



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

preparations and articles (Annex XVII)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. Not applicable

Volatile organic compounds	:	Directive 2010/75/EU of 24 November 2010 on industrial
		emissions (integrated pollution prevention and control)
		Not applicable

15.2 Chemical safety assessment

This information is not available.

SECTION 16: Other information

Full text of H-Statements

May cause an allergic skin reaction.
Causes serious eye damage.
Toxic to aquatic life with long lasting effects.
Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada): ECHA - European Chemicals Agency: EC-Number - European Community number: ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substanc-



according to Regulation (EC) No. 1907/2006 - GB



OKS 404

Version	Revision Date:	Date of last issue: 02.08.2017	Print Date:
4.0	12.11.2020	Date of first issue: 28.05.2014	13.11.2020

es; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

This safety data sheet applies only to products as originally packed and labelled. The information contained therein may not be reproduced or modified without our express written permission. Any forwarding of this document is only permitted to the extent required by law. Any further, in particular public, dissemination of the safety data sheet (e.g. as a document for download from the Internet) is not permitted without our express written consent. We provide our customers with amended safety data sheets as prescribed by law. The customer is responsible for passing on safety data sheets and any amendments contained therein to its own customers, employees and other users of the product. We provide no guarantee that safety data sheets received by users from third parties are up-to-date. All information and instructions in this safety data sheet have been compiled to the best of our knowledge and are based on the information available to us on the day of publication. The information provided is intended to describe the product in relation to the required safety measures; it is neither an assurance of characteristics nor a guarantee of the product's suitability for particular applications and does not justify any contractual legal relationship. The existence of a safety data sheet for a particular jurisdiction does not necessarily mean that import or use within that jurisdiction is legally permitted. If you have any questions, please contact your responsible sales contact or authorized trading partner.

